

***CE/EN ARCHITECTURAL  
IRONMONGERY***

---



**CYLINDERS**







### ITEM CODE: DCP EUROPROFILE CYLINDERS SERIES

#### FEATURES:

- Europrofile 5 pins tumbler solid brass cylinders.
- Available application: double cylinder (DCP M-F series), single cylinder (DCP M-X series), single cylinder & turn (DCP P-F series) and coin & turn release bathroom cylinder (DCP P-BK).
- Unique keyway for all cylinders types: S26.
- Available in key different, Key alike, master keyed, grand master keyed or grand grand master keyed.
- Available in various lengths, symmetrical and assymetrical.
- Keys made in Brass material, Nickel plated finish. 3 keys are supplied as standard except for DCP P-BK.
- Cam 30° offset as standard design.
- Standard keyhead D08 (round hole) except keyway D70 (rectangular hole) for double cylinder with shorter lengths (e.g: 26/26 mm).
- Double cylinders (DCP M-F) and single cylinder & turn (DCP P-F) with length equal or below 70 mm are supplied with interrupted screw M5X70 in Nickel plated finish.
- All coin & turn release bathroom cylinder (DCP P-BK) are supplied with interrupted screw M5X70 in Nickel plated finish.
- Double cylinders (DCP M-F) with length greater than 70 mm and all single cylinder (DCP M-X) are supplied with interrupted screw M5X70 and un-interrupted screw M5x90 in the same packaging in Nickel plated finish.
- Double cylinders (DCP M-F) with shorter length are supplied with un-interrupted screw M5X40 in nickel plated finish.
- Anti-drill protection for DCP M-F, DCP M-X and DCP P-F.
- Durability passed: 100,000 cycles. Tested key related security: 19,532 minimum number of effective keys different. Passed attack resistance: Grade A. Tested and certified to BS EN1303:2015. Fire rated to EN 1634-1
- Standard finish: Satin Nickel (SN). Other finishes are available upon request.
- Classification:




CATEGORY OF USE	DURABILITY	DOOR MASS	FIRE RESISTANCE	SAFETY	CORROSION RESISTANCE AND TEMPERATURE	KEY RELATED SECURITY	ATTACK RESISTANCE
<b>1</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>C</b>	<b>3</b>	<b>A</b>

DCP M-F SERIES	DCP M-X SERIES
	
DCP P-F SERIES	DCP P-BK
	
D08 KEYHEAD	D70 KEYHEAD
	

**ITEM CODE: DCP6P SERIES**
**BS EN 1303:2015**
**FEATURES:**

- Europrofile 6 pins tumbler solid brass cylinders.
- Available application: double cylinder (DCP6P M-F series), single cylinder (DCP6P M-X series), single cylinder & turn (DCP6P P-F series) and coin & turn release bathroom cylinder (DCP6P P-BK).
- Unique horizontal keyway.
- Available in key different, Key alike and Master key.
- Available in various lengths, symmetrical and assymetrical.
- Computer keys made in Brass material, Nickel plated finish. 5 keys are supplied as standard except for DCP6P P-BK.
- Cam 30° offset as standard design.
- Anti-drill protection for DCP6P M-F, DCP6P M-X and DCP6P P-F.
- Durability passed: 100,000 cycles.
- Anti-Snap, anti-pick, anti-bumping and key override function (Emergency function).
- Tested and certified to BS EN1303:2015.
- Standard finish: Satin Nickel (SN). Other finishes are available upon request.
- Classification:



CATEGORY OF USE	DURABILITY	DOOR MASS	FIRE RESISTANCE	SAFETY	CORROSION RESISTANCE AND TEMPERATURE	KEY RELATED SECURITY	ATTACK RESISTANCE
<b>1</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>B</b>	<b>5</b>	<b>0</b>

